1979 Index to Optical Engineering Volume 18

Volume 18, No. 1, January/February 1979

Fiber optic time domain reflectometer, M. A. Nelson, T.J.Davies, P.B.Lyons, J.E.Golob, L. D. Looney 5
Fiber optic rotation sensor signal detection and processing, Willis C. Goss, Raymond Goldstein 9
Integrated optoelectronic silicon devices for optical signal processing and communications, J. T. Boyd 14
Advances in heterojunction lasers for fiber optics applications, C. J. Nuese. 20
Real-time video tracking system, A. L. Gilbert, M. K. Giles, G. M. Flachs, R. B. Rogers, Yee Hsun U 25
Grating detectability: method to evaluate aberration effects in visual instruments, Michael K. Giles. 33
Real-time interferogram simulation, Joseph M. Geary, D. Holmes 39
Phase-locked interferometry, Glen W. Johnson, Dennis C. Leiner, Duncan T. Moore 46
Development of a two-step E-beam lithography process for submicron surface acoustic wave device fabrication, D. B. MacDonald, C. F. Shaffer, T. G. Blocker III, R. C. Vail 53
In situ characterization of positive resist development, W. G. Oldham. 59
Simple optical noncontact profilometer, G. Indebetouw 63
High performance extreme ultraviolet telescope, Dietrich Korsch 67
Ronchi ruling method for measuring Gaussian beam diameter, LeRoy D. Dickson 70
Local segmentation of noisy images, Martin J. Lahart 76
Spot size of focused truncated Gaussian beams, E. Marom, B. Chen, O. G. Ramer 79
Passive ground-based electro-optical detection of artificial earth satellites, R. Weber 82
Special application coatings for the vacuum ultraviolet, Bruce K. Flint 92

Volume 18, No. 2, March/April 1979

Stray light and its suppression (guest editorial), Harold E. Bennett, Eugene L. Church . . 103
Scalar scattering theory for multilayer optical coatings, C. K. Carniglia 104
Vector scattering theory, J. M. Elson, J. M. Bennett. 116
Relationship between surface scattering and microtopographic features, E. L. Church, H. A. Jenkinson, J. M. Zavada. 125
Effect of mid- and high-spatial frequencies on optical performance, Robert J. Noll . . . 137
Low scatter finishing of aspheric optics, W. P. Barnes, Jr., R. R. McDonough. 143
Infrared absorption of optical blacks, D. L. Stierwalt 147
Optical contamination assessment by bidirectional reflectance-distribution function measurement, Vernon L. Williams, Richard T. Lockie. 152
Operating point choice in unstable confocal resonators, P. F. Kellen, M. Smith 157
Diagnostics of turbulence by holography, James D. Trolinger, Gerald D. Simpson . 161
Overview of laser applications to chemistry, Thomas F. George 167
Application of laser techniques in rain impact and erosion investigations, Daniel J. Novak 173
Simple method for measuring refractive index of a liquid, M.V.R.K.Murty, R.P.Shukla. . . 177
Laser purification of the rare earths, Terence Donohue 181
Laser wavefront analyzer for diagnosing high-energy lasers, John Van Workum, James A. Plaseyk, Michael L. Skolnick 187
Bistable optical devices for integrated optics and fiber optics applications, E. Garmire, S. D. Allen, J. Marburger. 194
Two-dimensional matrix multiplication using coherent optical techniques, Poohsan N. Tamura, James C. Wyant. 198
Angle-scanned interferometer, Robert Crane, Jr., ... 205
Laser detection by coherence discrimination, Robert Crane, Jr.,. 212
Laser line art, F. M. Dickey, J. R. White, J. Crill. 218
Optical profile transducer, Takeo Sawatari, Richard B. Zipin 222
Shack interferometer, Roland V. Shack, George W. Hopkins 226
Simple power meter for measuring outputs from a high power continuous wave CO_2 laser, Sadao Nakajima, Yoshio Maruyama, Kyoko Kosasa 229

Volume 18, No. 3, May/June 1979

Optical engineering activity in the Huntsville area (guest editorial), Robert L. Kurtz, Robert B. Owen. 235
Use of particle sizing interferometer to study water droplet size distribution, D. W. Roberds, C. W. Brasier, B. W. Bomar. 236
Holographic optical schlieren system (HOSS), Robert L. Kurtz, L. M. Perry 243
High resolution holographic particle sizing system, William K. Witherow 249
Particle field holography at Arnold Engineering Development Center, R. A. Belz, R. W. Menzel 256
Optical correlation of surface displacement, Robert B. Owen, Hua-Kuang Liu 266
Space telescope optics, Charles O. Jones. . 273
Remote optical techniques for liquid flow and temperature measurement for Spacelab experiments, William W. Fowlis 281
Ultraviolet polarimeter for the Solar Maximum Mission, John Calvert, Donald Griner, Justino Montenegro, Frank Nola, Frank Rutledge, Einar Tandberg-Hanssen, Charles L. Wyman, Jacques M. Beckers 287
Video detection and analysis techniques of transient astronomical phenomena, K. S. Clifton, R. Reese, Jr., C. W. Davis. 291
Minicomputer applications in automated testing of electro-optical guidance systems, Ray W. Schneider 298
Variable optical target simulator, C. E. Kulas, E. D. Crosswhite 303
Peak detection methods for scanning optical sensor systems, David M. Wilcox 306
Method for resolution of multiple graybodies from spectrally samples optical systems, R. D. Tippets, D. M. Wilcox 313
Optical sensor system simulation, Rex D. Lewis, Chris H. Horgen 318
Simultaneous observation of multiple monochromatic images with an imaging selective modulation interferometric spectrometer, William G. McKinley 327
Two-mirror grazing incidence telescopes with one conical surface, Dietrich Korsch . . . 331
Electro-optical techniques for noncontact circuit probing, Peter D. Poulsen. 335
Beam properties of a CO_2 continuous wave electric discharge laser, P. F. Kellen, A. C. Mattsson, D. R. Ahouse, M. J. Yoder. . . 340
Dust-trajectory photography technique for flow velocity measurement, C. K. Hsieh, R. W. Coldewey 345
Analysis of rising-sun reticle, Keizoh Suzuki, ... 350
Method for measurement of parallelism of optically parallel plates, M.V.R.K.Murty, R.P.Shukla. 352
Laser intracavity phase lock control system, C. L. Hayes, J. P. Hauck, N. A. Massie . . 354

Volume 18, No. 4, July/August 1979

Comparison of LAMP and BLAZER code calculations with TRW CL XV measurements, D. O'Keefe, T. Sugimura, W. Behrens, D. Bullock, D. Dee 363
Optical engineering of first- and second-generation automatic tracking/laser designator pods, Ronald E. Johnson. 370
Dispersion and gas flow effects in the ring laser gyro, F. Aronowitz, W. L. Lim 376
Fiber optic rotation sensor (FORS) laboratory performance evaluation, Raymond Goldstein, Willis C. Goss 381
Computer-controlled laser beams in object dimension measurements. J. Johansson, C.-O. Falt, S. T. Eng. 384
Incoherent optical correlator using projected fringes patterns, T. Tschudi, H. P. Weber, A. Stadler 387
Grinding and polishing with small tools under computer control, Robert A. Jones. . . . 390
Description of a unique machine tool permitting achievement of <15-A rms diamond-turned surfaces, D. M. Miller, G. H. Hauver, J. N. Culverhouse, E. N. Greenwell 394
Photogrammetric application of moire fringes produced with a parallel beam of light, Harumi Terada, Toshiko Ikeda 399
Selective modulation interferometric spectrometer (SIMS) technique applied to background suppression, George A. Vanasse, Roy W. Esplin, Ronald J. Huppi 403
Experimental investigation of small single and multiple free jets by laser Raman spectroscopy, Alfred Leipertz, Martin Fiebig. 409
First-order design variables for concentrating solar collectors, Jan F. Kreider 414
Acousto-optic implementation of real- and near real-time signal processing, N. J. Berg, J. N. Lee, M. W. Casseday 420
Color-sensing device based on a novel principle, Homer B. Tilton. 429
Spatial-frequency response of the limb infrared monitor of the stratosphere (LIMS) radiometer, R. Gale Wilson, Antony Jalink, Jr., William M. Kahlbaum, Jr.,. 432
Beam pointing control system for visible to infrared wavelengths, S. Aiken, M. Clancy, E. Erdelyi 440

Volume 18, No. 5, September/October 1979

Optical metrology (guest editorial), H. J. Caulfield 447
Optical stress analysis using moire fringe and laser speckles, F. P. Chiang. 448
Multipurpose optical moire processor, F. P. Chiang, B. Parker, D. Oplinger, J. Slepetz 456
Automatic method of real-time wavefront analysis, Robert C. Moore 461
Microprocessor-based automatic heterodyne interferometer, F. M. Mottier 464
Computer analysis of holographic interferograms for nondestructive testing, D. A. Tichenor, V. P. Madsen. 469
Gaging by remote image tracking, James P. Waters 473
Unequal path interferometer alignment and use, Robert J. Zielinski 479
Use of microdensitometers as a basis for highly accurate metrology, H. J. Caulfield, David L. Kryger. 483
Image digitizer system design considerations, Philip S. Considine, Thomas A. Lianza, Bruce M. Radl. 486
Computer-controlled manipulator with visual inputs, George Saridis, C. S. G. Lee. . . . 492
Industrial applications of diffraction pattern sampling, Harvey L. Kasdan 496
Coping with charge transfer inefficiency affecting modulation transfer function of charge-coupled devices, Satoru C. Tanaka 504
Development of an optical parallel logic device and a half-adder circuit for digital optical processing, ravindra A. Athale, Sing H. Lee 513
Coherent optical implementation of generalized two-dimensional transforms, James R. Leger, Sing H. Lee 518
Holographic microvelocimeter for use in studying ocean particle dynamics, Kendall L. Carder 524
Space object imaging through the turbulent atmosphere, J. R. Fienup 529
Evaluation of Schottky infrared charge-coupled device (IRCCD) staring mosaic focal plane,

1979 Index to Optical Engineering Volume 18

Volume 18, No. 1, January/February 1979

Fiber optic time domain reflectometer, M. A. Nelson, T.J.Davies, P.B.Lyons, J.E.Golob, L. D. Looney 5
Fiber optic rotation sensor signal detection and processing, Willis C. Goss, Raymond Goldstein 9
Integrated optoelectronic silicon devices for optical signal processing and communications, J. T. Boyd 14
Advances in heterojunction lasers for fiber optics applications, C. J. Nuese. 20
Real-time video tracking system, A. L. Gilbert, M. K. Giles, G. M. Flachs, R. B. Rogers, Yee Hsun U 25
Grating detectability: method to evaluate aberration effects in visual instruments, Michael K. Giles. 33
Real-time interferogram simulation, Joseph M. Geary, D. Holmes 39
Phase-locked interferometry, Glen W. Johnson, Dennis C. Leiner, Duncan T. Moore 46
Development of a two-step E-beam lithography process for submicron surface acoustic wave device fabrication, D. B. MacDonald, C. F. Shaffer, T. G. Blocker III, R. C. Vail 53
In situ characterization of positive resist development, W. G. Oldham. 59
Simple optical noncontact profilometer, G. Indebetouw 63
High performance extreme ultraviolet telescope, Dietrich Korsch 67
Ronchi ruling method for measuring Gaussian beam diameter, LeRoy D. Dickson 70
Local segmentation of noisy images, Martin J. Lahart 76
Spot size of focused truncated Gaussian beams, E. Marom, B. Chen, O. G. Ramer 79
Passive ground-based electro-optical detection of artificial earth satellites, R. Weber 82
Special application coatings for the vacuum ultraviolet, Bruce K. Flint 92

Volume 18, No. 2, March/April 1979

Stray light and its suppression (guest editorial), Harold E. Bennett, Eugene L. Church . . 103
Scalar scattering theory for multilayer optical coatings, C. K. Carniglia 104
Vector scattering theory, J. M. Elson, J. M. Bennett. 116
Relationship between surface scattering and microtopographic features, E. L. Church, H. A. Jenkinson, J. M. Zavada. 125
Effect of mid- and high-spatial frequencies on optical performance, Robert J. Noll . . . 137
Low scatter finishing of aspheric optics, W. P. Barnes, Jr., R. R. McDonough. 143
Infrared absorption of optical blacks, D. L. Stierwalt 147
Optical contamination assessment by bidirectional reflectance-distribution function measurement, Vernon L. Williams, Richard T. Lockie. 152
Operating point choice in unstable confocal resonators, P. F. Kellen, M. Smith 157
Diagnostics of turbulence by holography, James D. Trolinger, Gerald D. Simpson . 161
Overview of laser applications to chemistry, Thomas F. George 167
Application of laser techniques in rain impact and erosion investigations, Daniel J. Novak 173
Simple method for measuring refractive index of a liquid, M.V.R.K.Murty, R.P.Shukla. . . 177
Laser purification of the rare earths, Terence Donohue 181
Laser wavefront analyzer for diagnosing high-energy lasers, John Van Workum, James A. Plaseyk, Michael L. Skolnick 187
Bistable optical devices for integrated optics and fiber optics applications, E. Garmire, S. D. Allen, J. Marburger. 194
Two-dimensional matrix multiplication using coherent optical techniques, Poohsan N. Tamura, James C. Wyant. 198
Angle-scanned interferometer, Robert Crane, Jr., ... 205
Laser detection by coherence discrimination, Robert Crane, Jr.,. 212
Laser line art, F. M. Dickey, J. R. White, J. Crill. 218
Optical profile transducer, Takeo Sawatari, Richard B. Zipin 222
Shack interferometer, Roland V. Shack, George W. Hopkins 226
Simple power meter for measuring outputs from a high power continuous wave CO_2 laser, Sadao Nakajima, Yoshio Maruyama, Kyoko Kosasa 229

Volume 18, No. 3, May/June 1979

Optical engineering activity in the Huntsville area (guest editorial), Robert L. Kurtz, Robert B. Owen. 235
Use of particle sizing interferometer to study water droplet size distribution, D. W. Roberds, C. W. Brasier, B. W. Bomar. 236
Holographic optical schlieren system (HOSS), Robert L. Kurtz, L. M. Perry 243
High resolution holographic particle sizing system, William K. Witherow 249
Particle field holography at Arnold Engineering Development Center, R. A. Belz, R. W. Menzel 256
Optical correlation of surface displacement, Robert B. Owen, Hua-Kuang Liu 266
Space telescope optics, Charles O. Jones. . 273
Remote optical techniques for liquid flow and temperature measurement for Spacelab experiments, William W. Fowlis 281
Ultraviolet polarimeter for the Solar Maximum Mission, John Calvert, Donald Griner, Justino Montenegro, Frank Nola, Frank Rutledge, Einar Tandberg-Hanssen, Charles L. Wyman, Jacques M. Beckers 287
Video detection and analysis techniques of transient astronomical phenomena, K. S. Clifton, R. Reese, Jr., C. W. Davis. 291
Minicomputer applications in automated testing of electro-optical guidance systems, Ray W. Schneider 298
Variable optical target simulator, C. E. Kulas, E. D. Crosswhite 303
Peak detection methods for scanning optical sensor systems, David M. Wilcox 306
Method for resolution of multiple graybodies from spectrally samples optical systems, R. D. Tippets, D. M. Wilcox 313
Optical sensor system simulation, Rex D. Lewis, Chris H. Horgen 318
Simultaneous observation of multiple monochromatic images with an imaging selective modulation interferometric spectrometer, William G. McKinley 327
Two-mirror grazing incidence telescopes with one conical surface, Dietrich Korsch . . . 331
Electro-optical techniques for noncontact circuit probing, Peter D. Poulsen. 335
Beam properties of a CO_2 continuous wave electric discharge laser, P. F. Kellen, A. C. Mattsson, D. R. Ahouse, M. J. Yoder. . . 340
Dust-trajectory photography technique for flow velocity measurement, C. K. Hsieh, R. W. Coldewey 345
Analysis of rising-sun reticle, Keizoh Suzuki, ... 350
Method for measurement of parallelism of optically parallel plates, M.V.R.K.Murty, R.P.Shukla. 352
Laser intracavity phase lock control system, C. L. Hayes, J. P. Hauck, N. A. Massie . . 354

Volume 18, No. 4, July/August 1979

Comparison of LAMP and BLAZER code calculations with TRW CL XV measurements, D. O'Keefe, T. Sugimura, W. Behrens, D. Bullock, D. Dee 363
Optical engineering of first- and second-generation automatic tracking/laser designator pods, Ronald E. Johnson. 370
Dispersion and gas flow effects in the ring laser gyro, F. Aronowitz, W. L. Lim 376
Fiber optic rotation sensor (FORS) laboratory performance evaluation, Raymond Goldstein, Willis C. Goss 381
Computer-controlled laser beams in object dimension measurements. J. Johansson, C.-O. Falt, S. T. Eng. 384
Incoherent optical correlator using projected fringes patterns, T. Tschudi, H. P. Weber, A. Stadler 387
Grinding and polishing with small tools under computer control, Robert A. Jones. . . . 390
Description of a unique machine tool permitting achievement of <15-A rms diamond-turned surfaces, D. M. Miller, G. H. Hauver, J. N. Culverhouse, E. N. Greenwell 394
Photogrammetric application of moire fringes produced with a parallel beam of light, Harumi Terada, Toshiko Ikeda 399
Selective modulation interferometric spectrometer (SIMS) technique applied to background suppression, George A. Vanasse, Roy W. Esplin, Ronald J. Huppi 403
Experimental investigation of small single and multiple free jets by laser Raman spectroscopy, Alfred Leipertz, Martin Fiebig. 409
First-order design variables for concentrating solar collectors, Jan F. Kreider 414
Acousto-optic implementation of real- and near real-time signal processing, N. J. Berg, J. N. Lee, M. W. Casseday 420
Color-sensing device based on a novel principle, Homer B. Tilton. 429
Spatial-frequency response of the limb infrared monitor of the stratosphere (LIMS) radiometer, R. Gale Wilson, Antony Jalink, Jr., William M. Kahlbaum, Jr.,. 432
Beam pointing control system for visible to infrared wavelengths, S. Aiken, M. Clancy, E. Erdelyi 440

Volume 18, No. 5, September/October 1979

Optical metrology (guest editorial), H. J. Caulfield 447
Optical stress analysis using moire fringe and laser speckles, F. P. Chiang. 448
Multipurpose optical moire processor, F. P. Chiang, B. Parker, D. Oplinger, J. Slepetz 456
Automatic method of real-time wavefront analysis, Robert C. Moore 461
Microprocessor-based automatic heterodyne interferometer, F. M. Mottier 464
Computer analysis of holographic interferograms for nondestructive testing, D. A. Tichenor, V. P. Madsen. 469
Gaging by remote image tracking, James P. Waters 473
Unequal path interferometer alignment and use, Robert J. Zielinski 479
Use of microdensitometers as a basis for highly accurate metrology, H. J. Caulfield, David L. Kryger. 483
Image digitizer system design considerations, Philip S. Considine, Thomas A. Lianza, Bruce M. Radl. 486
Computer-controlled manipulator with visual inputs, George Saridis, C. S. G. Lee. . . . 492
Industrial applications of diffraction pattern sampling, Harvey L. Kasdan 496
Coping with charge transfer inefficiency affecting modulation transfer function of charge-coupled devices, Satoru C. Tanaka 504
Development of an optical parallel logic device and a half-adder circuit for digital optical processing, ravindra A. Athale, Sing H. Lee 513
Coherent optical implementation of generalized two-dimensional transforms, James R. Leger, Sing H. Lee 518
Holographic microvelocimeter for use in studying ocean particle dynamics, Kendall L. Carder 524
Space object imaging through the turbulent atmosphere, J. R. Fienup 529
Evaluation of Schottky infrared charge-coupled device (IRCCD) staring mosaic focal plane,

B.Capone, L.Skolnik, R.Taylor, F.Shepherd, S. Roosild, W. Ewing, W. Kosonocky, E. Kohn 535
Factors influencing selection of a next-generation telescope concept, L. D. Barr 542

Volume 18, No. 6, November/December 1979
Optics in adverse environments (guest editorial) Irving R. Abel, John F. Ready. 551
Optical fiber waveguides in radiation environments, E. J. Friebele 552
Performance of laser systems in radiation environments, James A. Holzer, Burr C. Passenheim 562
Response of fiber optic waveguides to ionizing radiation, R. C. Webb, L. Isaacson, E. P. Marram. 568
High fluence effects on optics in the Argus and Shiva laser chains, G. Richard Wirtenson. 574
Damage resistance of CO_2 fusion laser optics, Brian E. Newnam, Dennis H. Gill 579
Low absorption TII/KCl/TII antireflection coatings for KCl surfaces, W. T. Boord, H. Y. B. Mar, M. C. Ohmer 586
Thermally induced optical distortion in high-energy laser systems, Claude A. Klein . . 591
Mechanical and optical properties of press-forged LiF and CaF_2, R. H. Anderson, R. A. Skogman, H. Vora. 602
Particulate erosion of electromagnetic window materials, William F. Adler. 610
*Cryocooled optics and contamination, J. G. Pipes, F. G. Sherrell, B. E. Wood, W. L. Clark 620
Three-channel high-resolution TV image generation system, J. A. Mays, R. E. Holmes . . 626
Twenty-five-inch precision color display for simulator visual systems, R. E. Holmes, J. A. Mays 630
Use of pyroelectric detectors in horizon sensors, Y. K. Jain, B. Kalakrishnan 634
Electrographic instrumentation for ultraviolet imaging and spectrography, George R. Carruthers 638
Cost-scaling laws applicable to very large optical telescopes, Aden B. Meinel. 645
Real-time interferometer, Kenneth D. Stumpf 648
Performance characteristics of a translate-rotate head scanner with xenon detectors, Arthur Olson, Maynard High 654
Modified method in measurements of x-ray focal spot modulation transfer function, Pei-Jan Paul Lin, Richard A. Mintzer, Anthony F. Behof, Charles M. Schoenfeld 661
Holographic interferometry applied to analysis of the human skull, James R. DeKock, Noah Hershkowitz, Cordell E. Gross, William R. Panje 664

1979 Author Index Optical Engineering Volume 18

Abel, Irving R., 551
Adler, William F., 610
Ahouse, D. R., 340
Aiken, S., 440
Allen, S. D., 194
Anderson, R. H., 602
Aronowitz, F., 376
Athale, Ravindra A., 513

Barnes, W. P., Jr., 143
Barr, L. D., 542
Beckers, Jacques M., 287
Behof, Anthony F., 661
Behrens, W., 363
Belz, R. A., 256
Bennett, Harold E., 103
Bennett, J. M., 116
Berg, N. J., 420
Blocker, T. G. III, 53
Bomar, B. W., 236
Boord, W. T., 586
Boyd, J. T., 14
Brasier, C. W., 236
Bullock, D., 363

Calvert, John, 287
Capone, B., 535
Carder, Kendall L., 524
Carniglie, C. K., 104
Carruthers, George R., 638
Casseday, M. W., 420
Caulfield, H. J., 447, 483
Chen, B., 79
Chiang, F. P., 448, 456
Church, Eugene L., 103, 125
Clancy, M., 440
Clark, W. L., 620
Clifton, K. S., 291
Coldewey, R. W., 345
Considine, Philip S., 486
Crane, Robert, Jr., 205, 212
Crill, J., 218
Crosswhite, E. D., 303
Culverhouse, J. N., 394

Davies, T. J., 5
Davis, C. W., 291
Dee, D., 363
DeKock, James R., 664
Dickey, F. M., 218
Dickson, LeRoy D., 70
Donohue, Terence, 181

Egbert, William C., 539
Elson, J. M., 116
Eng, S. T., 384
Erdelyi, E., 440
Esplin, Roy W., 403
Ewing, W., 535

Fitt, C. -O., 384
Fiebig, Martin, 409
Fienup, J. R., 529
Flachs, G. M., 25
Flint, Bruce K., 92
Fowlis, William W., 281
Friebele, E. J., 552

Garmire, E., 194
Geary, Joseph M., 39
George, Thomas F., 167
Gilbert, A. L., 25
Giles, Michael K., 25, 33
Gill, Dennis H., 579
Goldstein, Raymond, 9, 381
Golob, J. E., 5
Goss, Willis C., 9, 381
Greenwell, E. N., 394
Griner, Donald, 287
Gross, Cordell E., 664

Hauck, J. P., 354
Hauver, G. H., 394
Hayes, C. L., 354
Hershkowitz, Noah, 664
High, Maynard, 654
Holmes, D., 39
Holmes, R. E., 626, 630
Holzer, James A., 562
Hopkins, George W., 226
Horgen, Chris H., 318
Hsieh, C. K., 345
Huppi, Ronald J., 403

Ikeda, Toshiko, 399
Indebetouw, G., 63
Isaacson, L., 568

Jain, Y. K., 634
Jalink, Antony, Jr., 432
Jenkinson, H. A., 125
Johansson, J., 384
Johnson, Glen W., 46
Johnson, Ronald E., 370
Jones, Charles O., 273
Jones, Robert A., 390

Kahlbaum, William M., Jr., 432
Kalakrishnan, B., 634
Kasdan, Harvey L., 496
Kellen, P. F., 157, 340
Klein, Claude A., 591
Kohn, E., 535
Korsch, Dietrich, 67, 331
Kosasa, Kyoko, 229
Kosonocky, W., 535
Kreider, Jan F., 414
Kryger, David L., 483
Kulas, C. E., 303
Kurtz, Robert L., 235, 243

Lahart, Martin J., 76
Lee, C. S. G., 492
Lee, J. N., 420
Lee, Sing H., 513, 518
Leger, James R., 518
Leiner, Dennis C., 46
Leipertz, Alfred, 409
Lewis, Rex D., 318
Lianza, Thomas A., 486
Lim, W. L., 376
Lin, Pei-Jan Paul, 661
Liu, Hua-Kuang, 266
Lockie, Richard T., 152
Looney, L. D., 5
Lyons, P. B., 5

MacDonald, D. B., 53
Madsen, V. P., 469
Mar, H. Y. B., 586
Marburger, J., 194
Marom, E., 79
Marram, E. P., 568
Maruyama, Yoshio, 229
Massie, N. A., 354
Mattsson, A. C., 340
Mays, J. A., 626, 630
McDonough, R. R., 143
McKinley, William G., 327
Meinel, Aden B., 645
Menzel, R. W., 256
Miller, D. M., 394
Mintzer, Richard A., 661
Montenegro, Justino, 287
Moore, Duncan T., 46
Moore, Robert C., 461
Mottier, F. M., 464
Murty, M.V.R.K., 177, 352, 526

Nakajima, Sadao, 229
Nelson, M. A., 5
Newnam, Brian E., 579
Nola, Frank, 287
Noll, Robert J., 137
Novak, Daniel J., 173
Nuese, C. J., 20

Ohmer, M. C., 586
O'Keefe, D., 363
Oldham, W. G., 59
Olson, Arthur, 654
Oplinger, D., 456
Owen, Robert B., 235, 266

Panje, William R., 664
Parker, B., 456
Passenheim, Burr C., 562
Perry, L. M., 243
Pipes, J. G., 620
Plascyk, James A., 187
Poulsen, Peter D., 335

Radl, Bruce M., 486
Ramer, O. G., 79
Ready, John F., 551
Reese, R., Jr., 291
Roberds, D. W., 236
Rogers, R. B., 25
Roosild, S., 535
Rutledge, Frank, 287

Saridis, George, 492
Sawatari, Takeo, 222
Schneider, Ray W., 298
Schoenfeld, Charles M., 661
Shack, Roland V., 226
Shaffer, C. F., 53
Shepherd, F., 535
Sherrell, F. G., 620
Shukla, R. P., 177, 352, 526
Simpson, Gerald D., 161
Skogman, R. A., 602
Skolnick, Michael L., 187
Skolnik, L., 535
Slepetz, J., 456
Smith, M., 157
Stadler, A., 387
Stierwalt, D. L., 147
Stumpf, Kenneth D., 648
Sugimura, T., 363
Suzuki, Keizoh, 350

Tamura, Poohsan N., 198
Tanaka, Satoru C., 504
Tandberg-Hanssen, Einar, 287
Taylor, R., 535
Terada, Harumi, 399
Tichenor, D. A., 469
Tilton, Homer B., 429
Tippets, R. D., 313
Trolinger, James D., 161
Tschudi, T., 387

U, Yee Hsun, 25

Vail, R. C., 53
Vanasse, George A., 403
Van Workum, John, 187
Vora, H., 602

Waters, James P., 473
Webb, R. C., 568
Weber, H. P., 387
Weber, R., 82
White, J. R., 218
Wilcox, David M., 306, 313
Williams, Vernon L., 152
Wilson, R. Gale, 432
Wirtenson, G. Richard, 574
Witherow, William K., 249
Wood, B. E., 620
Wyant, James C., 198
Wyman, Charles L., 287

Yoder, M. J., 340

Zavada, J. M., 125
Zielinski, Robert J., 479
Zipin, Richard B., 222

Aberration effects in visual instruments, grating detectability: method to evaluate, 33
Absorption of optical blacks, infrared, 147
Absorption TII/KCl/TII antireflection coatings for KCl surfaces, low, 586
Acoustic wave device fabrication, development of two-step E-beam lithography process for submicron surface, 53
Acousto-optic implementation of real- and near real-time signal processing, 420
Advances in heterojunction lasers for fiber optics applications, 20
Adverse environments, optics in (editorial), 551
Alignment and use, unequal path interferometer, 479
Analysis, authomatic method of real-time wavefront, 461
Analysis of holographic interferograms for nondestructive testing, computer, 469
Analysis using moire fringe and laser speckles, optical stress, 448
Analysis of rising-sun reticle, 350
Analysis techniques of transient astronomical phenomena, video detection and, 291
Analyzer for diagnosing high-energy lasers, laser wavefront, 187
Angle-scanned interferometer, 205
Antireflection coatings for KCl surfaces, low absorption TII/KCl/TII, 586
Application coatings for vacuum ultraviolet, special, 92
Application of laser techniques in rain impact and erosion investigations, 173
Application of moire fringes produced with a parallel beam of light, photogrammetric, 399
Applications, advances in heterojunction lasers for fiber optics, 20
Applications in automated testing of electro-optical guidance systems, minicomputer, 298
Applications, bistable optical devices for integrated optics and fiber optics, 194
Applications to chemistry, overview of laser, 167
Applications of diffraction pattern sampling, industrial, 496
Argus and Shiva laser chains, high fluence effects on optics in the, 574
Arnold Engineering Development Center, particle field holography at, 256
Art, laser line, 218
Artificial earth satellites, passive ground-based electro-optical detection of, 82
Aspheric optics, low scatter finishing of, 143
Assessment by bidirectional reflectance-distribution function measurement, optical contamination, 152
Astronomical phenomena, video detection and analysis techniques of transient, 291
Atmosphere, space object imaging through the turbulent, 529
Automated testing of electro-optical guidance systems, minicomputer applications in, 298
Automatic heterodyne interferometer, microprocessor-based, 464
Automatic method of real-time wavefront analysis, 461
Automatic tracking/laser designator pods, optical engineering of first- and second-generation, 370

BLAZER code calculations with TRW CL XV measurements, comparison of LAMP and, 363
BRDF measurement, optical contamination assessment by bidirectional reflectance-distribution function, 152
Background suppression, selective modulation interferometric spectrometer (SIMS) technique applied to, 403
Beam diameter, Ronchi ruling method for measuring Gaussian, 70
Beam of light, photogrammetric application of moire fringes produced with a parallel, 399
Beam pointing control system for visible to infrared wavelengths, 440
Beam properties of a CO_2 continuous-wave electric discharge laser, 340
Beams in object dimension measurements, computer-controlled laser, 384
Beams, spot size of focused truncated Gaussian, 79
Bidirectional reflectance-distribution function (BRDF) measurement, optical contamination assessment by, 152
Bistable optical devices for integrated optics and fiber optics applications, 194
Blacks, infrared absorption of optical, 147

CaF_2, mechanical and optical properties of press-forged LiF and, 602
CCD, coping with charge transfer inefficiency affecting modulation transfer function (MTF) of charge-coupled devices, 504
CO_2 continuous wave electric discharge laser, beam properties of a, 340
CO_2 fusion laser optics, damage resistance of, 579
CO_2 laser, simple power meter for measuring outputs from a high power continuous wave, 229
Calculations with TRW CL XV measurements, comparison of LAMP and BLAZER code, 363
Chains, high fluence effects on optics in the Argus and Shiva laser, 574
Characteristics of a translate-rotate head scanner with xenon detectors, performance, 654
Characterization of positive resist development, in situ, 59
Charge-coupled device (IRCCD) staring mosaic focal plane, evaluation of a Schottky infrared, 535
Charge-coupled devices (CCD), coping with charge transfer inefficiency affecting modulation transfer function (MTF) of, 504
Charge transfer inefficiency affecting modulation transfer function (MTF) of charge-coupled devices (CCD), coping with, 504
Chemistry, overview of laser applications to, 167
Circuit for digital optical processing, development of an optical parallel logic device and a half-adder, 513
Circuit probing, electro-optical techniques for noncontact, 335
Coatings for KCl surfaces, low absorption TII/KCl/TII antireflection, 586
Coatings, scalar scattering theory for multilayer optical, 104
Coatings for vacuum ultraviolet (VUV), special application, 92
Code calculations with TRW CL XV measurements, comparison of LAMP & BLAZER, 363
Coherence discrimination, laser detection by, 212
Coherent optical implementation of generalized two-dimensional transforms, 518
Coherent optical techniques, two-dimensional matrix multiplication using, 198
Collectors, first-order design variables for concentrating solar, 414
Color display for simulator visual systems, twenty-five-inch precision, 630
Color-sensing device based on a novel principle, 429
Communications, integrated optoelectronic silicon devices for optical signal processing and, 14
Comparison of LAMP & BLAZER code calculations with TRW CL XV measurements, 363
Computer analysis of holographic interferograms for nondestructive testing, 469
Computer control, grinding and polishing with small tools under, 390
Computer-controlled laser beams in object dimension measurements, 384
Computer-controlled manipulator with visual inputs, 492
Concentrating solar collectors, first-order design variables for, 414
Concept, factors influencing selection of a next-generation telescope, 542
Confocal resonators, operating point choice in unstable, 157
Conical surface, two-mirror grazing incidence telescopes with one, 331
Contamination assessment by bidirectional reflectance-distribution function (BRDF) measurement, optical, 152
Contamination, cryocooled optics and, 620
Continuous wave CO_2 laser, simple power meter for measuring outputs from a high power, 229
Continuous wave electric discharge laser, beam properties of a CO_2, 340
Control system, laser intracavity phase lock, 354
Control system for visible to infrared wavelengths, beam pointing, 440
Coping with charge transfer inefficiency affecting modulation transfer function (MTF) of charge-coupled devices (CCD), 504
Correlation of surface displacement, optical, 266
Correlator using projected fringes patterns, incoherent optical, 387
Cost-scaling laws applicable to very large optical telescopes, 645
Cryocooled optics and contamination, 620

Damage resistance of CO_2 fusion laser optics, 579
Design considerations, image digitizer system, 486
Design variables for concentrating solar collectors, first-order, 414
Designator pods, optical engineering of first- and second-generation automatic tracking/laser, 370
Detectability: method to evaluate aberration effects in visual instruments, grating, 33
Detection and analysis techniques of transient astronomical phenomena, video, 291
Detection of artificial earth satellites, passive ground-based electro-optical, 82
Detection by coherence discrimination, laser, 212
Detection methods for scanning optical sensor systems, peak, 306
Detection and processing, fiber optic rotation sensor (FORS) signal, 9
Detectors in horizon sensors, use of pyroelectric, 634
Detectors, performance characteristics of a translate-rotate head scanner with xenon, 654
Development, in situ characterization of positive resist, 59
Development of an optical parallel logic device and a half-adder circuit for digital optical processing, 513
Development of a two-step E-beam lithography process for submicron surface acoustic wave (SAW) device fabrication, 53
Device fabrication, development of a two-step E-beam lithography process for submicron surface acoustic wave (SAW), 53
Device and a half-adder circuit for digital optical processing, development of an optical parallel logic, 513
Device (IRCCD) staring mosaic focal plane, evaluation of a Schottky infrared charge-coupled, 535
Device based on a novel principle, color-sensing, 429
Devices (CCD), coping with charge transfer inefficiency affecting modulation transfer function (MTF) of charge-coupled, 504
Devices for integrated optics and fiber optics applications, bistable optical, 194
Devices for optical signal processing and communications, integrated opto-electronic silicon, 14
Diagnosing high-energy lasers, laser wavefront analyzer for, 187
Diagnostics of turbulence by holography, 161
Diameter, Ronchi ruling method for measuring Gaussian beam, 70
Diamond-turned surfaces, description of a unique machine tool permitting achievement of <15-Å rms, 394
Diffraction pattern sampling, industrial applications of, 496
Digital optical processing, development of an optical parallel logic device and a half-adder circuit for, 513

Digitizer system design considerations, image, 486
Dimension measurements, computer-controlled laser beams in object, 384
Discharge laser, beam properties of a CO_2 continuous wave electric, 340
Discrimination, laser detection by coherence, 212
Description of a unique machine tool permitting achievement of <15-Å rms diamond-turned surfaces, 394
Dispersion and gas flow effects in the ring laser gyro, 376
Displacement, optical correlation of surface, 266
Display for simulator visual systems, twenty-five-inch precision color, 630
Distortion in high-energy laser systems, thermally induced optical, 591
Distribution, use of particle sizing interferometer to study water droplet size, 236
Domain reflectometer, fiber optic time, 5
Droplet size distribution, use of particle sizing interferometer to study water, 236
Dust-trajectory photography technique for flow velocity measurement, 345
Dynamics, holographic microvelocimeter for use in studying ocean particle, 524

EUV telescope, high performance extreme ultraviolet, 67
Earth satellites, passive ground-based electro-optical detection of artificial, 82
Earths, laser purification of the rare, 181
E-beam lithography process for submicron surface acoustic wave (SAW) device fabrication, development of a two-step, 53
Effect of mid- and high-spatial frequencies on optical performance, 137
Effects in visual instruments, grating detectability: method to evaluate aberration, 33
Electric discharge laser, beam properties of a CO_2 continuous wave, 340
Electrographic instrumentation for ultraviolet imaging and spectrography, 638
Electromagnetic window materials, particulate erosion of, 610
Electro-optical detection of artificial earth satellites, passive ground-based, 82
Electro-optical guidance systems, minicomputer applications in automated testing of, 298
Electro-optical techniques for noncontact circuit probing, 335
Energy laser systems, thermally induced optical distortion in high-, 591
Energy lasers, laser wavefront analyzer for diagnosing high-, 187
Engineering of first- and second-generation automatic tracking/laser designator pods, optical, 370
Engineering in the Huntsville area, optical, 235
Environments, optical fiber waveguides in radiation, 552
Environments, optics in adverse (editorial), 551
Erosion of electromagnetic window materials, particulate, 610
Erosion investigations, application of laser techniques in rain impact and, 173
Evaluate aberration effects in visual instruments, grating detectability: method to, 33
Evaluation of Schottky infrared charge-coupled device (IRCCD) staring mosaic focal plane, 535
Experimental investigation of small single and multiple free jets by laser Raman spectroscopy, 409
Experiments, remote optical techniques for liquid flow and temperature measurement for Spacelab, 281
Extreme ultraviolet (EUV) telescope, high performance, 67

FORS laboratory performance evaluation, fiber optic rotation sensor, 381
FORS signal detection and processing, fiber optic rotation sensor, 9
Fabrication, development of two-step E-beam lithography process for submicron surface acoustic wave (SAW) device, 53
Factors influencing selection of a next-generation telescope concept, 542
Fiber optic rotation sensor (FORS) laboratory performance evaluation, 381
Fiber optic rotation sensor (FORS) signal detection and processing, 9
Fiber optic time domain reflectometer, 5
Fiber optic waveguides to ionizing radiation, response of, 568
Fiber optics applications, advances in heterojunction lasers for, 20
Fiber optics applications, bistable optical devices for integrated optics and, 194
Fiber waveguides in radiation environments, optical, 552
Field holography at Arnold Engineering Development Center, particle, 256
<15-Å rms diamond-turned surfaces, description of unique machine tool permitting achievement of, 394
Finishing of aspheric optics, low scatter, 143
First-order design variables for concentrating solar collectors, 414
First- and second-generation automatic tracking/laser designator pods, optical engineering of, 370
Flow effects in the ring laser gyro, dispersion and gas, 376
Flow and temperature measurement for Spacelab experiments, remote optical techniques for liquid, 281
Flow velocity measurement, dust-trajectory photography technique for, 345
Fluence effects on optics in the Argus and Shiva laser chains, 574
Focal plane, evaluation of a Schottky infrared charge-coupled device (IRCCD) staring mosaic, 535
Focal spot modulation transfer function, modified method in measurements of x-ray, 661
Focused truncated Gaussian beams, spot size of, 79
Free jets by laser Raman spectroscopy, experimental investigatior of small single and multiple, 409
Frequencies on optical performance, effect of mid- and high-spatial, 137
Frequency response of the limb infrared monitor of stratosphere (LIMS) radiometer, spatial-, 432
Frequency sine-wave grating, simple method of producing a variable, 526
Fringes patterns, incoherent optical correlator using projected, 387
Fringes produced with a parallel beam of light, photogrammetric application of moire, 399
Function (BRDF) measurement, optical contamination assessment by bidirectional reflectance-distribution, 152
Function, modified method in measurements of x-ray spot modulation transfer, 661
Fusion laser optics, damage resistance of CO_2, 579

Gaging by remote image tracking, 473
Gas flow effects in the ring laser gyro, dispersion and, 376
Gaussian beam diameter, Ronchi ruling method for measuring, 70
Gaussian beams, spot size of focused truncated, 79
Generalized two-dimensional transforms, coherent optical implementation of, 518
Grating detectability: method to evaluate aberration effects in visual instruments, 33
Grating, simple method of producing a variable frequency sine-wave, 526
Graybodies from spectrally sampled optical systems, method for resolution of multiple, 313
Grazing incidence telescopes with one conical surface, two-mirror, 331
Grinding and polishing with small tools under computer control, 390
Ground-based electro-optical detection of artificial earth satellites, passive, 82
Guidance systems, minicomputer applications in automated testing of electro-optical, 298
Gyro, dispersion and gas flow effects in the ring laser, 376

HOSS, holographic optical schlieren system, 243
Half-adder circuit for digital optical processing, development of an optical parallel logic device and a, 513
Heterodyne interferometer, microprocessor-based automatic, 464
Heterojunction lasers for fiber optics applications, advances in, 20
High-energy laser systems, thermally induced optical distortion in, 591
High-energy lasers, laser wavefront analyzer for diagnosing, 187
High fluence effects on optics in the Argus and Shiva laser chains, 574
High performance extreme ultraviolet (EUV) telescope, 67
High power continuous wave CO_2 laser, simple power meter for measuring outputs from, 229
High resolution holographic particle sizing system, 249
High-spatial frequencies on optical performance, effect of mid- and, 137
Holographic interferograms for nondestructive testing, computer analysis, 469
Holographic interferometry applied to analysis of the human skull, 664
Holographic microvelocimeter for use in studying ocean particle dynamics, 524
Holographic optical schlieren system (HOSS), 243
Holographic particle sizing system, high resolution, 249
Holography at Arnold Engineering Development Center, particle field, 256
Holography, diagnostics of turbulence by, 161
Horizon sensors, use of pyroelectric detectors in, 634
Human skull, holographic interferometry applied to analysis of the, 664
Huntsville area, optical engineering in the, 235

IRCCD staring mosaic focal plane, evaluation of Schottky infrared charge-coupled device, 535
Image digitizer system design considerations, 486
Image generation system, three-channel high-resolution TV, 626
Image tracking, gaging by remote, 473
Images with an imaging selective modulation interferometric spectrometer, simultaneous observation of multiple monochromatic, 327
Images, local segmentation of noisy, 76
Imaging selective modulation interferometric spectrometer, simultaneous observation of multiple monochromatic images with an, 327
Imaging and spectrography, electrographic instrumentation for ultraviolet, 638
Imaging through the turbulent atmosphere, space object, 529
Impact and erosion investigations, application of laser techniques in rain, 173
Implementation of generalized two-dimensional transforms, coherent optical, 518
Implementation of real- and near real-time signal processing, acousto-optic, 420
Incidence telescopes with one conical surface, two-mirror grazing, 331
Incoherent optical correlator using projected fringes patterns, 387
Index of a liquid, simple method for measuring the refractive, 177
Industrial applications of diffraction pattern sampling, 496
Inefficiency affecting modulation transfer function (MTF) of charge-coupled devices (CCD), coping with charge transfer, 504
Infrared absorption of optical blacks, 147
Infrared charge-coupled device staring mosaic focal plane, evaluation of a Schottky, 535
Infrared monitor of stratosphere (LIMS) radiometer, spatial-frequency response of limb, 432

Infrared wavelengths, beam pointing control system for visible to, 440
Inputs, computer-controlled manipulator with visual, 492
In situ characterization of positive resist development, 59
Instrumentation for ultraviolet imaging and spectrography, electrographic, 638
Instruments, grating detectability: method to evaluate aberration effects in visual, 33
Integrated optics and fiber optics applications, bistable optical devices for, 194
Integrated opto-electronic silicon devices for optical signal processing and communications, 14
Interferograms for nondestructive testing, computer analysis of holographic, 469
Interferogram simulation, real time, 39
Interferometer alignment and use, unequal path, 479
Interferometer, angle-scanned, 205
Interferometer, microprocessor-based automatic heterodyne, 464
Interferometer, real-time, 648
Interferometer, Shack, 226
Interferometer to study water droplet size distribution, use of a particle sizing, 236
Interferometric spectrometer, simultaneous observation of multiple monochromatic images with an imaging selective modulation, 327
Interferometric spectrometer (SIMS) technique applied to background suppression, selective modulation, 403
Interferometry applied to analysis of the human skull, holographic, 664
Interferometry, phase-locked, 46
Intracavity phase lock control system, laser, 354
Investigation of small and multiple free jets by laser Raman spectroscopy, experimental, 409
Investigations, application of laser techniques in rain impact and erosion, 173
Ionizing radiation, response of fiber optic waveguides to, 568

Jets by laser Raman spectroscopy, experimental investigation of small single and multiple free, 409

KCl surfaces, low absorption TlI/KCl/TlI antireflection coatings for, 586

LAMP & BLAZER code calculations with TRW CL XV measurements, comparison of, 363
LiF and CaF_2, mechanical and optical properties of press-forged, 602
LIMS radiometer, spatial-frequency response of limb infrared monitor of stratosphere, 432
Laboratory performance evaluation, fiber optic rotation sensor (FORS), 381
Laser applications to chemistry, overview of, 167
Laser, beam properties of a CO_2 continuous wave electric discharge, 340
Laser beams in object dimension measurements, computer-controlled, 381
Laser chains, high fluence effects on optics in the Argus and Shiva, 574
Laser designator prods, optical engineering of first- and second-generation automatic tracking/, 370
Laser detection by coherence discrimination, 212
Laser gyro, dispersion and gas flow effects in the ring, 376
Laser intracavity phase lock control system, 354
Laser line art, 218
Laser optics, damage resistance of CO_2 fusion, 579
Laser purification of the rare earths, 181
Laser Raman spectroscopy, experimental investigation of small single and multiple free jets by, 409
Laser, simple power meter for measuring outputs from a high power continuous wave CO_2, 229
Laser speckles, optical stress analysis using moire fringe and, 448
Laser systems in radiation environments, performance of, 562
Laser systems, thermally induced optical distortion in high-energy, 591
Laser techniques in rain impact and erosion investigations, application of, 173
Laser wavefront analyzer for diagnosing high-energy lasers, 187
Lasers for fiber optics applications, advances in heterojunction, 20
Lasers, laser wavefront analyzer for diagnosing high-energy, 187
Laws applicable to very large optical telescopes, cost-scaling, 645
Light, photogrammetric application of moire fringes produced with a parallel beam of, 399
Light and its suppression, stray (editorial), 103
Limb infrared monitor of stratosphere (LIMS) radiometer, spatial-frequency response of, 432
Line art, laser, 218
Liquid flow and temperature measurement for Spacelab experiments, remote optical techniques for, 281
Liquid, simple method for measuring refractive index of a, 177
Lithography process for submicron surface acoustic wave (SAW) device fabrication, development of a two-step E-beam, 53
Local segmentation of noisy images, 76
Lock control system, laser intracavity phase, 354
Locked interferometry, phase-, 46
Logic device and a half-adder circuit for digital optical processing, development of an optical parallel, 513
Low absorption TlI/KCl/TlI antireflection coatings for KCl surfaces, 586
Low scatter finishing of aspheric optics, 143

MTF of charge-coupled devices (CCD), coping with charge transfer inefficiency affecting modulation transfer function, 504
Machine tool permitting achievement of <15-A rms diamond-turned surfaces, description of a unique, 394
Manipulator with visual inputs, computer-controlled, 492
Materials, particulate erosion of electromagnetic window, 610
Matrix multiplication using coherent optical techniques, two-dimensional, 198
Measurement, dust-trajectory photography technique for flow velocity, 345
Measurement, optical contamination assessment by bidirectional reflectance-distribution function (BRDF), 152
Measurement of parallelism of optically parallel plates, method for, 352
Measurement for Spacelab experiments, remote optical techniques for liquid flow and temperature, 281
Measurements, comparison of LAMP and BLAZER code calculations with TRW CL XV, 363
Measurements, computer-controlled laser beams in object dimension, 384
Measurements of x-ray focal spot modulation transfer function, modified method, 661
Measuring Gaussian beam diameter, Ronchi ruling method for, 70
Measuring outputs from a high power continuous wave CO_2 laser, simple power meter for, 229
Measuring the refractive index of a liquid, simple method for, 177
Mechanical and optical properties of press-forged LiF and CaF_2, 602
Meter for measuring outputs from a high power continuous wave CO_2 laser, simple power, 229
Method to evaluate aberration effects in visual instruments, grating detectability:, 33
Method for measurement of parallelism of optically parallel plates, 352
Method for measuring Gaussian beam diameter, Ronchi ruling, 70
Method for measuring refractive index of a liquid, simple, 177
Method for resolution of multiple graybodies from spectrally sampled optical systems, 313
Methods for scanning optical sensor systems, peak detection, 306
Metrology, optical (editorial), 447
Metrology, use of microdensitometers as a basis for highly accurate, 483
Microdensitometers as a basis for highly accurate metrology, use of, 483
Microprocessor-based automatic heterodyne interferometer, 464
Microtopographic features, relationship between surface scattering and, 125
Microvelocimeter for use in studying ocean particle dynamics, holographic, 524
Mid- and high-spatial frequencies on optical performance, effect of, 137
Minicomputer applications in automated testing of electro-optical guidance systems, 298
Modified method in measurements of x-ray focal spot modulation transfer function, 661
Modulation interferometric spectrometer, simultaneous observation of multiple monochromatic images with imaging selective, 327
Modulation interferometric spectrometer (SIMS) technique applied to background suppression, selective, 403
Modulation transfer function (MTF) of charge-coupled devices (CCD), coping with charge transfer inefficiency affecting, 504
Modulation transfer function, modified method in measurements of x-ray focal spot, 661
Moire fringe and laser speckles, optical stress analysis using, 448
Moire fringes produced with a parallel beam of light, photogrammetric application of, 399
Moire processor, multipurpose optical, 456
Monitor of stratosphere (LIMS) radiometer, spatial-frequency response of the limb infrared, 432
Monochromatic images with an imaging selective modulation interferometric spectrometer, simultaneous observation of multiple, 327
Mosaic focal plane, evaluation of Schottky infrared charge-coupled device staring, 535
Multilayer optical coatings, scalar scattering theory for, 104
Multiple free jets by laser Raman spectroscopy, experimental investigation of small single and, 409
Multiple graybodies from spectrally sampled optical systems, method for resolution of, 313
Multiple monochromatic images with an imaging selective modulation interferometric spectrometer, simultaneous observation of, 327
Multiplication using coherent optical techniques, two-dimensional matrix, 198
Multipurpose optical moire processor, 456

Near real-time signal processing, acousto-optic implementation of real- and, 420
Next-generation telescope concept, factors influencing selection of a, 542
Noisy images, local segmentation of, 76
Noncontact circuit probing, electro-optical techniques for, 335
Noncontact profilometer, simple optical, 63
Nondestructive testing, computer analysis of holographic interferograms for, 469
Novel principle, color-sensing device based on a, 429

Object dimension measurements, computer-controlled laser beams in, 384
Object imaging through the turbulent atmosphere, space, 529
Observation of multiple monochromatic images with an imaging selective modulation interferometric spectrometer, simultaneous, 327
Ocean particle dynamics, holographic microvelocimeter for use in studying, 524
Operating point choice in unstable confocal resonators, 157
Optic rotation sensor (FORS) laboratory performance evaluation, 381
Optic rotation sensor (FORS) signal detection and processing, fiber, 9

Optic time domain reflectometer, fiber, 5
Optic waveguides to ionizing radiation, response of fiber, 568
Optical blacks, infrared absorption of, 147
Optical coatings, scalar scattering theory for multilayer, 104
Optical contamination assessment by bidirectional reflectance-distribution function (BRDF) measurement, 152
Optical correlation of surface displacement, 266
Optical correlator using projected fringes patterns, incoherent, 387
Optical detection of artificial earth satellites, passive ground-based electro-, 82
Optical devices for integrated optics and fiber optics applications, bistable, 194
Optical distortion in high-energy laser systems, thermally induced, 591
Optical engineering of first- and second-generation automatic tracking/laser designator pods, 370
Optical engineering in the Huntsville area (editorial), 235
Optical fiber waveguides in radiation environments, 552
Optical implementation of generalized two-dimensional transforms, coherent, 518
Optical metrology (editorial), 447
Optical moire processor, multipurpose, 456
Optical noncontact profilometer, simple, 63
Optical parallel logic device and a half-adder circuit for digital optical processing, development of an, 513
Optical performance, effect of mid- and high-spatial frequencies on, 137
Optical processing, development of an optical parallel logic device and a half-adder circuit for digital, 513
Optical profile transducer, 222
Optical properties of press-forged LiF and CaF_2, mechanical and, 602
Optical schlieren system (HOSS), holographic, 243
Optical sensor system simulation, 318
Optical sensor systems, peak detection methods for scanning, 306
Optical signal processing and communications, integrated opto-electronic silicon devices for, 14
Optical stress analysis using moire fringe and laser speckles, 448
Optical systems, method for resolution of multiple graybodies from spectrally sampled, 313
Optical target simulator, variable, 303
Optical techniques, two-dimensional matrix multiplication using coherent, 198
Optical techniques for liquid flow and temperature measurement for Spacelab experiments, remote, 281
Optical telescopes, cost-scaling laws applicable to very large, 645
Optically parallel plates, method for measurement of parallelism of, 352
Optics in adverse environments (editorial), 551
Optics applications, advances in heterojunction lasers for fiber, 20
Optics applications, bistable optical devices for integrated optics and fiber, 194
Optics in the Argus and Shiva laser chains, high fluence effects on, 574
Optics and contamination, cryocooled, 620
Optics, damage resistance of CO_2 fusion laser, 579
Optics and fiber optics applications, bistable optical devices for integrated, 194
Optics, low scatter finishing of aspheric, 143
Optics, space telescope, 273
Opto-electronic silicon devices for optical signal processing and communications, integrated, 14
Outputs from a high power continuous wave CO_2 laser, simple power meter for measuring, 229
Overview of laser applications to chemistry, 167

Parallel beam of light, photogrammetric application of moire fringes produced with a, 399
Parallel logic device and a half-adder circuit for digital optical processing, development of an optical, 513
Parallel plates, method for measurement of parallelism of optically, 352
Parallelism of optically parallel plates, method for measurement of, 352
Particle dynamics, holographic microvelocimeter for use in studying ocean, 524
Particle field holography at Arnold Engineering Development Center, 256
Particle sizing interferometer to study water droplet size distribution, use of a, 236
Particle sizing system, high resolution holographic, 249
Particulate erosion of electromagnetic window materials, 610
Passive ground-based electro-optical detection of artificial earth satellites, 82
Path interferometer alignment and use, unequal, 479
Pattern sampling, industrial applications of diffraction, 496
Patterns, incoherent optical correlator using projected fringes, 387
Peak detection methods for scanning optical sensor systems, 306
Performance characteristics of a translate-rotate head scanner with xenon detectors, 654
Performance, effect of mid- and high-spatial frequencies on optical, 137
Performance evaluation, fiber optic rotation sensor (FORS) laboratory, 381
Performance of laser systems in radiation environments, 562
Phase lock control system, laser intracavity, 354
Phase-locked interferometry, 46
Phenomena, video detection and analysis techniques of transient astronomical, 291
Photogrammetric application of moire fringes produced with a parallel beam of light, 399
Photography technique for flow velocity measurement, dust-trajectory, 345
Plane, evaluation of Schottky infrared charge-coupled device staring mosaic focal, 535
Plates, method for measurement of parallelism of optically parallel, 352
Pods, optical engineering of first- and second-generation automatic tracking/laser designator, 370
Point choice in unstable confocal resonators, operating, 157
Pointing control system for visible to infrared wavelengths, beam, 440
Polarimeter for the Solar Maximum Mission, ultraviolet, 287
Polishing with small tools under computer control, grinding and, 390
Positive resist development, in situ characterization of, 59
Power meter for measuring outputs from a high power continuous wave CO_2 laser, simple, 229
Precision color display for simulator visual systems, twenty-five inch, 630
Press-forged LiF and CaF_2, mechanical and optical properties of, 602
Principle, color-sensing device based on a novel, 429
Probing, electro-optical techniques for noncontact circuit, 335
Process for submicron surface acoustic wave (SAW) device fabrication, development of a two-step E-beam lithography, 53
Processing and communications, integrated optoelectronic silicon devices for optical signal, 14
Processing, development of an optical parallel logic device and a half-adder circuit for digital optical, 513
Processing, fiber optic rotation sensor (FORS) signal detection and, 9
Processor, multipurpose optical moire, 456
Profile transducer, optical, 222
Profilometer, simple optical noncontact, 63
Projected fringes patterns, incoherent optical correlator using, 387
Properties of a CO_2 continuous wave electric discharge laser, beam, 340
Properties of press-forged LiF and CaF_2, mechanical and optical, 602
Purification of the rare earths, laser, 181
Pyroelectric detectors in horizon sensors, use of, 634

Radiation environments, optical fiber waveguides in, 552
Radiation environments, performance of laser systems in, 562
Radiation, response of fiber optic waveguides to ionizing, 568
Radiometer, spatial-frequency response of limb infrared monitor of stratosphere (LIMS), 432
Rain impact and erosion investigations, application of laser techniques in, 173
Raman spectroscopy, experimental investigation of small single and multiple free jets by laser, 409
Rare earths, laser purification of the, 181
Real- and near real-time signal processing, acousto-optic implementation of, 420
Real time interferogram simulation, 39
Real-time interferometer, 648
Real-time video tracking system, 25
Real-time wavefront analysis, automatic method of, 461
Reflectance-distribution function (BRDF) measurement, optical contamination assessment by bidirectional, 152
Reflectometer, fiber optic time domain, 5
Refractive index of a liquid, simple method for measuring the, 177
Relationship between surface scattering and microtopographic features, 125
Remote image tracking, gaging, 473
Remote optical techniques for liquid flow and temperature measurement for Spacelab experiments, 281
Resist development, in situ characterization of positive, 59
Resistance of CO_2 fusion laser optics, damage, 579
Resolution of multiple graybodies from spectrally sampled optical systems, method for, 313
Resonators, operating point choice in unstable confocal, 157
Response of fiber optic waveguides to ionizing radiation, 568
Response of limb infrared monitor of stratosphere (LIMS) radiometer, spatial-frequency, 432
Reticle, analysis of rising-sun, 350
Ring laser gyro, dispersion and gas flow effects in the, 376
Rising-sun reticle, analysis of, 350
Ronchi ruling method for measuring Gaussian beam diameter, 70
Rotate head scanner with xenon detectors, performance characteristics of translate-, 654
Rotation sensor (FORS) laboratory performance evaluation, fiber optic, 381
Rotation sensor (FORS) signal detection and processing, fiber optic, 9
Ruling method for measuring Gaussian beam diameter, Ronchi, 70

SIMS technique applied to background suppression, selective modulation interferometric spectrometer, 403
SAW device fabrication, development of a two-step E-beam lithography process for submicron surface acoustic wave, 53
Sampled optical systems, method for resolution of multiple graybodies from spectrally, 313
Sampling, industrial applications of diffraction pattern, 496
Satellites, passive ground-based electro-optical detection of artificial earth, 82
Scalar scattering theory for multilayer optical coatings, 104
Scanned interferometer, angle-, 205
Scanner with xenon detectors, performance characteristics of translate-rotate head, 654

Scanning optical sensor systems, peak detection methods for, 306
Scatter finishing of aspheric optics, low, 143
Scattering and microtopographic features, relationship between surface, 125
Scattering theory for multilayer optical coatings, scalar, 104
Scattering theory, vector, 116
Schottky infrared charge-coupled device staring mosaic focal plane, evaluation of, 535
Schlieren system, holographic optical, 243
Segmentation of noisy images, local, 76
Selective modulation interferometric spectrometer, simultaneous observation of multiple monochromatic images with an imaging, 327
Selective modulation interferometric spectrometer (SIMS) technique applied to background suppression, 403
Sensing device based on a novel principle, color-, 429
Sensor (FORS) laboratory performance evaluation, fiber optic rotation, 381
Sensor (FORS) signal detection and processing, fiber optic rotation, 9
Sensor system simulation, optical, 318
Sensor systems, peak detection methods for scanning optical, 306
Sensors, use of pyroelectric detectors in horizon, 634
Shack interferometer, 226
Shiva laser chains, high fluence effects on optics in the Argus and, 574
Signal detection and processing, fiber optic rotation sensor (FORS), 9
Signal processing, acousto-optic implementation of real- and near real-time, 420
Signal processing/communications, integrated optoelectronic silicon devices for optical, 14
Silicon devices for optical signal processing/communications, integrated optoelectronic, 14
Simple method for measuring refractive index of a liquid, 177
Simple method of producing a variable frequency sine-wave grating, 526
Simple optical noncontact profilometer, 63
Simple power meter for measuring outputs from high power continuous wave CO_2 laser, 229
Simulation, optical sensor system, 318
Simulation, real time interferogram, 39
Simulator, variable optical target, 303
Simulator visual systems, twenty-five inch precision color display for, 630
Sine-wave grating, simple method of producing a variable frequency, 526
Single and multiple free jets by laser Raman spectroscopy, experimental investigation of small, 409
Size distribution, use of a particle sizing interferometer to study water droplet, 236
Sizing system, high resolution holographic particle, 249
Skull, holographic interferometry applied to analysis of the human, 664
Solar collectors, first-order design variables for concentrating, 414
Solar Maximum Mission, ultraviolet polarimeter for the, 287
Space object imaging through the turbulent atmosphere, 529
Space telescope optics, 273
Spacelab experiments, remote optical techniques for liquid flow and temperature measurements for, 281
Spatial frequencies on optical performance, effect of mid- and high-, 137
Spatial frequency response of limb infrared monitor of stratosphere radiometer, 432
Special application coatings for the vacuum ultraviolet (VUV), 92
Speckles, optical stress analysis using moire fringe and laser speckles, 448
Spectrally sampled optical systems, method for resolution of multiple graybodies from, 313
Spectrography, electrographic instrumentation for ultraviolet imaging and, 638
Spectrometer (SIMS) technique applied to background suppression, selective modulation interferometric, 403
Spectrometer, simultaneous observation of multiple monochromatic images with an imaging selective modulation interferometric, 327
Spectroscopy, experimental investigation of small single and multiple free jets by laser Raman, 409
Spot size of focused truncated Gaussian beams, 79
Staring mosaic focal plane, evaluation of Schottky infrared charge-coupled device, 535
Stratosphere radiometer, spatial-frequency response of limb infrared monitor of the, 432
Stray light and its suppression (editorial), 103
Stress analysis using moire fringe and laser speckles, optical, 448
Submicron surface acoustic wave (SAW) device fabrication, development of a two-step E-beam lithography process for, 53
Suppression, selective modulation interferometric spectrometer (SIMS) technique applied to background, 403
Suppression, stray light and its (editorial), 103
Surface acoustic wave (SAW) device fabrication, development of a two-step E-beam lithography process for submicron, 53
Surface displacement, optical correlation of, 266
Surface scattering and microtopographic features, relationship between, 125
Surface, two-mirror grazing incidence telescopes with one conical, 331
Surfaces, description of unique machine tool permitting achievement of <15-A rms diamond-turned, 394
Surfaces, low absorption TII/KCl/TII antireflection coatings for KCl, 586

TII/KCl/TII antireflection coatings for KCl surfaces, low absorption, 586
TRW CL XV measurements, comparison of LAMP/BLAZER code calculations with, 363
TV image generation system, three-channel high-resolution, 626
Target simulator, variable optical, 303
Telescope concept, factors influencing selection of a next-generation, 542
Telescope, high performance extreme ultraviolet (EUV), 67
Telescope optics, space, 273
Telescopes, cost-scaling laws applicable to very large optical, 645
Telescopes with one conical surface, two-mirror grazing incidence, 331
Temperature measurement for Spacelab experiments, remote optical techniques for liquid flow and, 281
Testing, computer analysis of holographic interferograms for nondestructive, 469
Testing of electro-optical guidance systems, minicomputer applications in automated, 298
Theory for multilayer optical coatings, scalar scattering, 104
Theory, vector scattering, 116
Thermally induced optical distortion in high-energy laser systems, 591
Three-channel high-resolution TV image generation system, 626
Time domain reflectometer, fiber optic, 5
Time interferogram simulation, real, 39
Tool permitting achievement of <15-A rms diamond-turned surfaces, description of a unique machine, 394
Tools under computer control, grinding and polishing with small, 390
Tracking, gaging by remote image, 473
Tracking/laser designator pods, optical engineering of first- and second-generation automatic, 370
Tracking system, real-time video, 25
Transducer, optical profile, 222
Transfer function, modified method in measurements of x-ray focal spot modulation, 661
Transforms, coherent optical implementation of generalized two-dimensional, 518
Transient astronomical phenomena, video detection and analysis techniques of, 291
Translate-rotate head scanner with xenon detectors, performance characteristics of a, 654
Truncated Gaussian beams, spot size of focused 79
Turbulence by holography, diagnostics of, 161
Turbulent atmosphere, space object imaging through the, 529
Twenty-five inch precision color display for simulator visual systems, 630
Two-dimensional matrix multiplication using coherent optical techniques, 198
Two-dimensional transforms, coherent optical implementation of generalized, 518
Two-mirror grazing incidence telescopes with one conical surface, 331
Two-step E-beam lithography process for submicron surface acoustic wave (SAW) device fabrication, development of a, 53

Ultraviolet (EUV) telescope, high performance extreme, 67
Ultraviolet imaging and spectrography, electrographic instrumentation for, 638
Ultraviolet polarimeter for the Solar Maximum Mission, 287
Ultraviolet (VUV), special application coatings for the vacuum, 92
Unequal path interferometer alignment/use, 479
Unstable confocal resonators, operating point choice in, 157
Use of microdensitometers as a basis for highly accurate metrology, 483
Use of a particle sizing interferometer to study water droplet size distribution, 236
Use of pyroelectric detectors in horizon sensors 634

VUV, special application coatings for the vacuum ultraviolet, 92
Vacuum ultraviolet (VUV), special application coatings for the, 92
Variable frequency sine-wave grating, simple method of producing a, 526
Variable optical target simulator, 303
Variables for concentrating solar collectors, first-order design, 414
Vector scatterhing theory, 116
Velocity measurement, dust-trajectory photography technique for flow, 345
Video detection and analysis techniques of transient astronomical phenomena, 291
Video tracking system, real-time, 25
Visible to infrared wavelengths, beam pointing control system for, 440
Visual inputs, computer-controlled manipulator with, 492
Visual instruments, grating detectability:method to evaluate aberration effects in, 33
Visual systems, twenty-five inch precision color display for simulator, 630

Water droplet size distribution, use of a particle sizing interferometer to study, 236
Wave CO_2 laser, simple power meter for measuring outputs from high power continuous, 229
Wave (SAW) device fabrication, development of a two-step E-beam lithography process for submicron surface acoustic, 53
Wavefront analysis, automatic method of real-time, 461
Wavefront analyzer for diagnosing high-energy lasers, laser, 187
Waveguides to ionizing radiation, response of fiber optic, 568
Waveguides in radiation environments, optical fiber, 552
Wavelengths, beam pointing control system for visible to infrared, 440
Window materials, particulate erosion of electromagnetic, 610

Xenon detectors, performance characteristics of a translate-rotate head scanner with, 654
X-ray focal spot modulation transfer function, modified method in measurements, 661

1979 INDEX TO SPIE REPORTS (Optical Engineering Volume 18)

AUTHORS AND OTHER PERSONS

Barhydt, Hamilton, SR-6
Beiser, Leo, SR-154
Brandt, Gerald B., SR-164
Carpenter, Robert H., SR-159
Cassasent, David, SR-38
Caulfield, H. J., SR-84, SR-120
Chan, William S., SR-163
Davidson, Melvin, SR-12
Deckert, Curt, SR-8, SR-32, SR-57, SR-90, SR-121, SR-159
DeVelis, John B., SR-84
Dutton, David B., SR-18
Edgerton, Harold E., SR-144
Farmer, Daniel, SR-38
Farmer, W. M., SR-158
Gaskill, Jack D., SR-96
Hughes, Robert B., SR-32
Hyzer, William G., SR-4, SR-35, SR-54, SR-86
Johnson, R. Barry, SR-6
Kallard, T., SR-130
Kingston, R. H., SR-159, SR-163
Koliopoulos, Chris L., SR-38
Kuonen, Ernest A., SR-121
Lewis, Robert E., SR-163
Lytle, John D., SR-2
Narducci, L. M., SR-13
O'Neill, Edward L., SR-96
Perry, William J., SR-64
Rosenau, Milton D., Jr., SR-57
Spiro, Irving J., SR-8, SR-52, SR-159, SR-164
Taylor, Charles A., SR-96
Thompson, Brian J., SR-96, SR-130, SR-131
Thompson, Sawyer, Jr., SR-121
Vest, Charles M., SR-164
Wallerstein, E. P., SR-90
Watson, E. Eugene, SR-132
Waugh, John, SR-88
Wilkerson, Gary W., SR-2, SR-88
Wollensak, Richard J., SR-152
Wyant, James C., SR-38, SR-132
Wyatt, Clair L., SR-164

SUBJECT INDEX

Acoustical imaging & holography Vol. 1 No.1, (bk rev), SR-132
Advanced seminar institute series, SPIE, SR-28, SR-62
Astronomy III seminar, report on, SR-52
Book reviews: 6800 assembly language programming, SR-12; Photoelectron statistics with applications to spectroscopy & optical communication, SR-12; International microcomputers/minicomputers/microprocessors '77, SR-38; Topics in applied physics: optical data processing applications (Vol. 23), SR-38; Linear systems, Fourier transforms, and optics, SR-96; Images, SR-96; Laser art and optical transforms, SR-130; Optica hoya y manana, proceedings of 11th congress of international commission for optics, SR-131; Acoustical imaging & holography (Vol.1 No.1), SR-132; Detection of optical and infrared radiation, SR-159, SR-163; Radiometric calibration: theory and methods, SR-164; Holographic interferometry, SR-164.
Business side of optics (forum), SR-8, SR-32, SR-57, SR-90, SR-121, SR-159
Calendar, SR-10, SR-36, SR-59, SR-94
Calls for papers (SPIE), 98, SR-29
Calls for papers (not SPIE), SR-16
Centration errors in fabrication and assembly of optical elements, SR-88
Corporate member directory, SPIE, SR-109
Detection of optical and infrared radiation (bk rev), SR-159, SR-163
DeVelis, John B., an appreciation, SR-84
Directory of SPIE corporate members, SR-109
Editorials: John B. DeVelis, an appreciation, SR-84; *Optical Engineering* and optical engineering, SR-120; Rudolf Kingslake Medal & Prize, SR-152
Effect of F/number and other parameters on performance of nearly BLIP search and surveillance systems (part 2), SR-6
Forum columns:
  Business side of optics, SR-8, SR-32, SR-57, SR-90, SR-121, SR-159
  Infrared, SR-6
  Innovation and discovery, SR-163
  Instant photoinstrumentation, SR-4, SR-35, SR-54, SR-86
  Laser velocimetry, SR-158
  Radiometry and photometry, SR-8, SR-52, SR-159
  Systems integration/optical design, SR-2, SR-88
  Who created the information management system?, SR-154
High speed photography & photonics, memories of 13th international congress on, SR-144
Holographic interferometry (bk rev), SR-164
Huntsville group, SPIE charter to, SR-144
Images (bk rev), SR-96
Industry news, SR-18, SR-42, SR-67, SR-98, SR-136, SR-165
Infrared (forum), SR-6
Innovation and discovery (forum), SR-163
Instant color-discrimination shadowgraphy, SR-86
Instant CRT photography, SR-4
Instant photoinstrumentation (forum), SR-4, SR-35, SR-54, SR-86
Instant radiometry, SR-35
International microcomputers/minicomputers/microprocessors '77 (bk rev), SR-38
Kingslake medal and prize, SR-152
Laser art and optical transforms (bk rev), SR-130
Laser velocimetry (forum), SR-158
Linear systems, Fourier transforms, and optics (bk rev), SR-96
Management controls for high technology programs, SR-121
Management evaluation of new product ideas, SR-57
Management strategy for high technology small business, SR-8
Meeting announcements, SR-56, SR-96, SR-134
Memories of 13th international congress on high speed photography & photonics, SR-144
Murcray effect, SR-8
New literature, SR-25, SR-43, SR-66, SR-100, SR-165
New products, SR-20, SR-44, SR-69, SR-116, SR-143, SR-169
Optica hoya y manana (bk rev), SR-131
Optical Engineering and optical engineering, SR-120
Optical tolerancing, SR-2
Patents, SR-76
People, SR-16, SR-39, SR-64, SR-97, SR-135, SR-171
Photoelectron statistics with applications to spectroscopy and optical communication (bk rev), SR-12
Placement exchange, SR-29, SR-49, SR-78, SR-117, SR-149, SR-171
Program planning in industry, SR-159
Radiometric calibration: theory and methods (bk rev), SR-164
Radiometry and photometry (forum), SR-8, SR-52, SR-159
Role of electro-optics in the defense investment strategy, SR-64
Short courses, SR-15, SR-38, SR-60, SR-132
Simulation by instant photoinstrumentation, SR-54
6800 assembly language programming (bk rev), SR-12
SPIE advanced seminar institute series, SR-28, SR-62
SPIE charter to Huntsville group, SR-144
SPIE corporate member directory, SR-109
SPIE programs, SR-17, SR-40, 356, SR-101, SR-138
SPIE scene, SR-62, SR-139, SR-170
Successful management of new optical fabrication projects, SR-90
Systems integration/optical design (forum), SR-2, SR-88
Technology transfer "piracy," SR-163
Topics in applied physics: optical data processing applications (Vol.23) (bk rev), SR-38
Who created the information management system?, SR-154
Your yearly patent checkup, SR-32